



**DRYGUY™**

**Model # DG10 “Circulator™”  
Boot & Shoe Dryer**



# **INSTRUCTION MANUAL**

**BEFORE RETURNING THIS PRODUCT  
FOR ANY REASON PLEASE CALL**

**1-888-330-9452**

**IF YOU SHOULD HAVE A QUESTION OR EXPERIENCE  
A PROBLEM WITH YOUR DryGuy™ PRODUCT  
CALL 1-888-330-9452**

Before you call, please have the following information available, Product MODEL number and Store receipt with purchase date. In most cases, a DryGuy™ representative can resolve your problem over the phone, and if not can direct you to an authorized service center. If you have a suggestions or comments, please send them via email to: [info@dryguy.net](mailto:info@dryguy.net) your feedback is vital to DryGuy™.

**SAVE THIS MANUAL FOR FUTURE REFERENCE**

## **IMPORTANT:**

To assure product SAFETY and RELIABILITY, repairs and maintenance (other than those listed in this manual) should be performed by authorized service centers or other qualified service organizations, always using identical replacement parts.

## **Lubrication:**

DryGuy™ products are properly lubricated at the factory and are ready for use.

## **Accessories:**

No Recommended accessories for use with your DryGuy Circulator™ are available at this time.



**CAUTION: The use of any accessory or attachment not recommended may be hazardous and may void warranty.**

## **Service Information:**

The manufacturers Service Center is staffed with trained personnel to provide customers with efficient and reliable product service. Whether you need technical advice, repair, or genuine factory replacement parts, contact; Eric Ferguson/ Electric Innovations at: [electricinnovations@roadrunner.com](mailto:electricinnovations@roadrunner.com)

## **Full (1) Year Use Warranty:**

The manufacturer (U.S.) warrants this product for One (1) Year against any defects in material or workmanship. The defective product will be replaced or repaired at no charge in either of two ways.

The first, which will result in exchanges, only, is to return the product to the retailer from whom it was purchased (provided the store is a participating retailer). Returns should be made within the time period of the retailer's policy for exchanges (usually 30 days after the sale). Proof of purchase may be required. Please check with the retailer for their specific return policy regarding returns.

The second option is to take or send the product (prepaid) to the manufacturers authorized Service Center for repair or replacement at our option. Proof of purchase Store name and date of purchase may be required.

This warranty does not apply to accessories. This warranty gives you specific legal rights and you may have other rights which vary from state to state. Should you have any questions, contact the service center. This product is not intended for commercial use.

### **The following will not be Covered Under Warranty:**

- Any modification to DryGuy Circulator™
- Product has been misused or improperly cared for
- Products over 1 year from date of original purchase
- Warranty request without original receipt
- Repairs done by anyone other than the manufacturer or the manufacturers authorized repair facility

In consideration of the above promises by the manufacturer, the buyer agrees to and accepts the following conditions:

That this warranty is in lieu of all other warranties, expressed or implied

That all warranties OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE ARE HERBY EXCLUDED OR WAIVED.

That the buyer's sole remedy shall be to obtain replacement of the product free of charge from the manufacturer provided any and all warranty defects falls within the warranty period and meets all warranty provisions, and That this remedy is in lieu of all other remedies or claims for damages, consequential or otherwise, which the buyer may have against the manufacturer.

# GENERAL SAFETY RULES



**WARNING! READ AND UNDERSTAND ALL INSTRUCTIONS.**

**Failure to follow all instructions listed may result in electric shock, fire and/or serious personal injury.**

## SAVE THESE INSTRUCTIONS



**AREA OF USE:**

- Do not operate in explosive atmospheres, such as in the presence of flammable liquids, gases, or dust.



**ELECTRICAL SAFETY**

- Do not operate in standing water
- Do not cut-off or restrict air circulation
- Do not expose DryGuy Circulator™ to rain or snow
- Use of attachments not recommended or sold by DryGuy Circulator™ may result in a risk of fire, electric shock, or injury to persons.
- To reduce risk of damage to electric plug and cord, pull by plug rather than cord when disconnecting unit.
- Make sure cord is located so that it will not be stepped on, tripped over, or other-wise subjected to damage or stress .
- An extension cord should not be used unless absolutely necessary. Use of improper extension cord could result in a risk of fire, electric shock or electrocution.
- Two-wire cords can be used with 2-wire or 3-wire extension cords. Only round jacketed extension cords should be used and we recommend that they be listed by Underwriters Laboratories (U.L.). If the extension is to be used outside, the cord must be suitable for outdoor use. Any cord marked for outdoor use can also be used for indoor use. The letters “W” or “WA” on the cord jacket indicate that the cord is suitable for outdoor use.
- An extension cord must have adequate wire size (AWG or American Wire Gauge) for safety, and to prevent loss of power and overheating. The smaller the gauge numbers of the wire, the greater the capacity of the cable; that is, 16 gauge has more capacity than 18 gauge. When using more than one extension to make up the total length, be sure each extension contains at least the minimum wire size.

# GENERAL SAFETY RULES



**WARNING! READ AND UNDERSTAND ALL INSTRUCTIONS.**

**Failure to follow all instructions listed may result in electric shock, fire and/or serious personal injury.**

## SAVE THESE INSTRUCTIONS



**AREA OF USE:**

- Do not operate in explosive atmospheres, such as in the presence of flammable liquids, gases, or dust.



**ELECTRICAL SAFETY**

- Do not operate in standing water
- Do not cut-off or restrict air circulation
- Do not expose DryGuy Circulator™ to rain or snow
- Use of attachments not recommended or sold by DryGuy Circulator™ may result in a risk of fire, electric shock, or injury to persons.
- To reduce risk of damage to electric plug and cord, pull by plug rather than cord when disconnecting unit.
- Make sure cord is located so that it will not be stepped on, tripped over, or other-wise subjected to damage or stress .
- An extension cord should not be used unless absolutely necessary. Use of improper extension cord could result in a risk of fire, electric shock or electrocution.
- Two-wire cords can be used with 2-wire or 3-wire extension cords. Only round jacketed extension cords should be used and we recommend that they be listed by Underwriters Laboratories (U.L.). If the extension is to be used outside, the cord must be suitable for outdoor use. Any cord marked for outdoor use can also be used for indoor use. The letters “W” or “WA” on the cord jacket indicate that the cord is suitable for outdoor use.
- An extension cord must have adequate wire size (AWG or American Wire Gauge) for safety, and to prevent loss of power and overheating. The smaller the gauge numbers of the wire, the greater the capacity of the cable; that is, 16 gauge has more capacity than 18 gauge. When using more than one extension to make up the total length, be sure each extension contains at least the minimum wire size.